

Package: ppcor (via r-universe)

June 5, 2026

Type Package

Title Partial and Semi-Partial (Part) Correlation

Version 1.1

Date 2015-11-19

Author Seongho Kim

Maintainer Seongho Kim <biostatistician.kim@gmail.com>

Depends R (>= 2.6.0), MASS

Description Calculates partial and semi-partial (part) correlations
along with p-value.

License GPL-2

NeedsCompilation no

Repository <https://statalite.r-universe.dev>

Date/Publication 2015-12-03 13:05:14 UTC

RemoteUrl <https://github.com/cran/ppcor>

RemoteRef HEAD

RemoteSha 1631a00104ac08819ef7c757eb380c6de451b5d8

Contents

ppcor-package	2
pcor	3
pcor.test	4
spcor	6
spcor.test	7

Index	9
--------------	----------

ppcor-package

*Partial and Semi-partial (Part) Correlation***Description**

Calculates parital and semi-partial (part) correlations along with p value.

Details

Package: ppcor
 Type: Package
 Version: 1.0
 Date: 2011-06-14
 License: GPL-2

Author(s)

Seongho Kim <biostatistician.kim@gmail.com>

References

Kim, S. (2015) ppcor: An R Package for a Fast Calculation to Semi-partial Correlation Coefficients. Communications for Statistical Applications and Methods, 22(6), 665-674.

Examples

```
# data
y.data <- data.frame(
  hl=c(7,15,19,15,21,22,57,15,20,18),
  disp=c(0.000,0.964,0.000,0.000,0.921,0.000,0.000,1.006,0.000,1.011),
  deg=c(9,2,3,4,1,3,1,3,6,1),
  BC=c(1.78e-02,1.05e-06,1.37e-05,7.18e-03,0.00e+00,0.00e+00,0.00e+00
    ,4.48e-03,2.10e-06,0.00e+00)
)
# partial correlation
pcor(y.data)

# partial correlation between "hl" and "disp" given "deg" and "BC"
pcor.test(y.data$hl,y.data$disp,y.data[,c("deg","BC")])
pcor.test(y.data[,1],y.data[,2],y.data[,c(3:4)])
pcor.test(y.data[,1],y.data[,2],y.data[,~c(1:2)])

# semi-partial (part) correlation
spcor(y.data)
```

```
# semi-partial (part) correlation between "h1" and "disp" given "deg" and "BC"
spcor.test(y.data$h1,y.data$disp,y.data[,c("deg","BC")])
spcor.test(y.data[,1],y.data[,2],y.data[,c(3:4)])
spcor.test(y.data[,1],y.data[,2],y.data[,c(1:2)])
```

pcor

*Partial correlation***Description**

The function pcor can calculate the pairwise partial correlations for each pair of variables given others. In addition, it gives us the p value as well as statistic for each pair of variables.

Usage

```
pcor(x, method = c("pearson", "kendall", "spearman"))
```

Arguments

x	a matrix or data fram.
method	a character string indicating which partial correlation coefficient is to be computed. One of "pearson" (default), "kendall", or "spearman" can be abbreviated.

Details

Partial correlation is the correlation of two variables while controlling for a third or more other variables. When the determinant of variance-covariance matrix is numerically zero, Moore-Penrose generalized matrix inverse is used. In this case, no p-value and statistic will be provided if the number of variables are greater than or equal to the sample size.

Value

estimate	a matrix of the partial correlation coefficient between two variables
p.value	a matrix of the p value of the test
statistic	a matrix of the value of the test statistic
n	the number of samples
gn	the number of given variables
method	the correlation method used

Note

Missing values are not allowed.

Author(s)

Seongho Kim <<biostatistician.kim@gmail.com>>

References

Kim, S. (2015) ppcor: An R Package for a Fast Calculation to Semi-partial Correlation Coefficients. Communications for Statistical Applications and Methods, 22(6), 665-674.

See Also

[pcor.test](#), [spcor](#), [spcor.test](#)

Examples

```
# data
y.data <- data.frame(
  hl=c(7,15,19,15,21,22,57,15,20,18),
  disp=c(0.000,0.964,0.000,0.000,0.921,0.000,0.000,1.006,0.000,1.011),
  deg=c(9,2,3,4,1,3,1,3,6,1),
  BC=c(1.78e-02,1.05e-06,1.37e-05,7.18e-03,0.00e+00,0.00e+00,0.00e+00
    ,4.48e-03,2.10e-06,0.00e+00)
)
# partial correlation
pcor(y.data)
```

pcor.test

Partial correlation for two variables given a third variable.

Description

The function `pcor.test` can calculate the pairwise partial correlations between two variables. In addition, it gives us the p value as well as statistic.

Usage

```
pcor.test(x, y, z, method = c("pearson", "kendall", "spearman"))
```

Arguments

x	a numeric vector.
y	a numeric vector.
z	a numeric vector.
method	a character string indicating which partial correlation coefficient is to be computed. One of "pearson" (default), "kendall", or "spearman" can be abbreviated.

Details

Partial correlation is the correlation of two variables while controlling for a third variable. When the determinant of variance-covariance matrix is numerically zero, Moore-Penrose generalized matrix inverse is used. In this case, no p-value and statistic will be provided if the number of variables are greater than or equal to the sample size.

Value

estimate	the partial correlation coefficient between two variables
p.value	the p value of the test
statistic	the value of the test statistic
n	the number of samples
gn	the number of given variables
method	the correlation method used

Note

Missing values are not allowed

Author(s)

Seongho Kim <<biostatistician.kim@gmail.com>>

References

Kim, S. (2015) ppcor: An R Package for a Fast Calculation to Semi-partial Correlation Coefficients. Communications for Statistical Applications and Methods, 22(6), 665-674.

See Also

[pcor](#), [spcor](#), [spcor.test](#)

Examples

```
# data
y.data <- data.frame(
  h1=c(7,15,19,15,21,22,57,15,20,18),
  disp=c(0.000,0.964,0.000,0.000,0.921,0.000,0.000,1.006,0.000,1.011),
  deg=c(9,2,3,4,1,3,1,3,6,1),
  BC=c(1.78e-02,1.05e-06,1.37e-05,7.18e-03,0.00e+00,0.00e+00,0.00e+00
    ,4.48e-03,2.10e-06,0.00e+00)
)

# partial correlation between "h1" and "disp" given "deg" and "BC"
pcor.test(y.data$h1,y.data$disp,y.data[,c("deg","BC")])
pcor.test(y.data[,1],y.data[,2],y.data[,c(3:4)])
pcor.test(y.data[,1],y.data[,2],y.data[,~c(1:2)])
```

 spcor

Semi-partial (part) correlation

Description

The function `spcor` can calculate the pairwise semi-partial (part) correlations for each pair of variables given others. In addition, it gives us the p value as well as statistic for each pair of variables.

Usage

```
spcor(x, method = c("pearson", "kendall", "spearman"))
```

Arguments

<code>x</code>	a matrix or data fram.
<code>method</code>	a character string indicating which semi-partial (part) correlation coefficient is to be computed. One of "pearson" (default), "kendall", or "spearman" can be abbreviated.

Details

Semi-partial correlation is the correlation of two variables with variation from a third or more other variables removed only from the second variable. When the determinant of variance-covariance matrix is numerically zero, Moore-Penrose generalized matrix inverse is used. In this case, no p-value and statistic will be provided if the number of variables are greater than or equal to the sample size.

Value

<code>estimate</code>	a matrix of the semi-partial (part) correlation coefficient between two variables
<code>p.value</code>	a matrix of the p value of the test
<code>statistic</code>	a matrix of the value of the test statistic
<code>n</code>	the number of samples
<code>gn</code>	the number of given variables
<code>method</code>	the correlation method used

Note

Missing values are not allowed.

Author(s)

Seongho Kim <<biostatistician.kim@gmail.com>>

References

Kim, S. (2015) ppcor: An R Package for a Fast Calculation to Semi-partial Correlation Coefficients. Communications for Statistical Applications and Methods, 22(6), 665-674.

See Also

[spcor.test](#), [pcor](#), [pcor.test](#)

Examples

```
# data
y.data <- data.frame(
  h1=c(7,15,19,15,21,22,57,15,20,18),
  disp=c(0.000,0.964,0.000,0.000,0.921,0.000,0.000,1.006,0.000,1.011),
  deg=c(9,2,3,4,1,3,1,3,6,1),
  BC=c(1.78e-02,1.05e-06,1.37e-05,7.18e-03,0.00e+00,0.00e+00,0.00e+00
        ,4.48e-03,2.10e-06,0.00e+00)
)

# semi-partial (part) correlation
spcor(y.data)
```

spcor.test	<i>Semi-partial (part) correlation for two variables given a third variable.</i>
------------	----------------------------------------------------------------------------------

Description

The function `spcor.test` can calculate the pairwise semi-partial (part) correlations between two variables. In addition, it gives us the p value as well as statistic.

Usage

```
spcor.test(x, y, z, method = c("pearson", "kendall", "spearman"))
```

Arguments

x	a numeric vector.
y	a numeric vector.
z	a numeric vector.
method	a character string indicating which partial correlation coefficient is to be computed. One of "pearson" (default), "kendall", or "spearman" can be abbreviated.

Details

Semi-partial correlation is the correlation of two variables with variation from a third variable removed only from the second variable. When the determinant of variance-covariance matrix is numerically zero, Moore-Penrose generalized matrix inverse is used. In this case, no p-value and statistic will be provided if the number of variables are greater than or equal to the sample size.

Value

estimate	the semi-partial (part) correlation coefficient between two variables
p.value	the p value of the test
statistic	the value of the test statistic
n	the number of samples
gn	the number of given variables
method	the correlation method used

Note

Missing values are not allowed

Author(s)

Seongho Kim <<biostatistician.kim@gmail.com>>

References

Kim, S. (2015) ppcor: An R Package for a Fast Calculation to Semi-partial Correlation Coefficients. Communications for Statistical Applications and Methods, 22(6), 665-674.

See Also

[spcor](#), [pcor](#), [pcor.test](#)

Examples

```
# data
y.data <- data.frame(
  h1=c(7,15,19,15,21,22,57,15,20,18),
  disp=c(0.000,0.964,0.000,0.000,0.921,0.000,0.000,1.006,0.000,1.011),
  deg=c(9,2,3,4,1,3,1,3,6,1),
  BC=c(1.78e-02,1.05e-06,1.37e-05,7.18e-03,0.00e+00,0.00e+00,0.00e+00
        ,4.48e-03,2.10e-06,0.00e+00)
)

# semi-partial (part) correlation between "h1" and "disp" given "deg" and "BC"
spcor.test(y.data$h1,y.data$disp,y.data[,c("deg","BC")])
spcor.test(y.data[,1],y.data[,2],y.data[,c(3:4)])
spcor.test(y.data[,1],y.data[,2],y.data[, -c(1:2)])
```

Index

* **htest**

pcor, 3

pcor.test, 4

ppcor-package, 2

spcor, 6

spcor.test, 7

pcor, 3, 5, 7, 8

pcor.test, 4, 4, 7, 8

ppcor (ppcor-package), 2

ppcor-package, 2

spcor, 4, 5, 6, 8

spcor.test, 4, 5, 7, 7